



Enterprise networks grow larger and more complex every day - and more critical to key business operations. The Barracuda NG Firewall is an essential tool to **optimize the performance, security, and availability of today's dispersed enterprise WANs.**

- Security**
- Storage
- Application Delivery

## The Barracuda Advantage

### Effective WAN Management

- Application-based traffic prioritization across the WAN
- Intelligent uplink balancing
- Intelligent traffic reprioritization on uplink loss

### Enterprise Readiness

- Industry-leading centralized management
- WAN optimization
- Global WAN monitoring with Barracuda NG Earth

### Scalable Security

- Drag-and-drop VPN graphical tunnel interface
- Integrates with cloud-based Barracuda Web Security Service

## Product Spotlight

- Powerful next-generation network firewall
- Intelligent traffic regulation and profiling
- Centralized management of all functionality
- Deep application control
- Comprehensive, built-in IDS/IPS
- Tightly integrated QoS and link balancing
- Template-based and role-based configuration
- Built-in web security (model F100 and higher)



## Integrated Next-Generation Security

The Barracuda NG Firewall is designed and built from the ground up to provide comprehensive, next-generation firewall capabilities. Cloud-hosted content filtering and reporting offload compute-intensive tasks to the cloud for greater resource efficiency and throughput. Based on application visibility, user-identity awareness, intrusion prevention, and centralized management, the Barracuda NG Firewall is the ideal solution for today's dynamic enterprises.




## Regaining Control of User Activity

The Barracuda NG Firewall restores control to networks made opaque and unmanageable by mobile devices at work, Web 2.0 applications, increasing dispersion, and the growing integration and dependence on cloud-based resources. It extends security coverage beyond network boundaries, and makes it easy to monitor and regulate everything the network and its users are doing.



## True Enterprise Readiness

The Barracuda NG Firewall meets the enterprise requirements for massive scalability and efficient management across distributed networks. Integrated WAN optimization and dedicated centralized management appliances enable organizations to increase system availability while keeping administrative time and operation costs low.



Monitor WAN activity in real time with Barracuda NG Earth

Traffic prioritization and redundant line failover were the basic requirements to ensure that business processes could run smoothly in the global RHI network. In our estimation Barracuda NG Firewalls provide unrivalled functionality here that cannot be achieved by other products.

Gottfried Hofreither  
Chief Information Officer, RHI AG (Austria)  
>100 centrally managed NG Firewalls

## Technical Specs

### Firewall

- Stateful packet inspection and forwarding
- Intrusion Detection and Prevention System (IDS/IPS)
- Application control and granular application enforcement
- Interception and decryption of SSL/TLS encrypted applications
- Denial of Service protection (DoS/DDoS)
- Spoofing and flooding protection
- ARP spoofing and trashing protection
- DNS reputation filtering
- TCP stream reassembly
- Transparent proxying (TCP)
- NAT (SNAT, DNAT), PAT
- Dynamic rules/timer triggers
- Single object-oriented rule set for routing, bridging, and routed bridging
- Virtual rule test environment

### Intrusion Detection & Prevention

- Protection against exploits, threats, and vulnerabilities
- Packet anomaly and fragmentation protection
- Advanced anti-evasion and obfuscation techniques
- Automatic signature updates

### Traffic Optimization

- Link monitoring, aggregation, and failover
- Source-based routing
- Traffic shaping and QoS
- On-the-fly flow reprioritization
- Stream and packet compression
- Byte-level data deduplication
- Protocol optimization (SMBv2)

### Mobile Connectivity

- iOS and Android mobile device VPN support

### VPN

- Drag & drop VPN tunnel configuration
- Secure site-to-site, client-to-site VPN
- Supports AES-128/256, 3DES, DES, null ciphers
- Private CA or external PKI
- IPsec VPN/SSL VPN
- VPNC certified (basic interoperability)
- Application-aware traffic routing
- PPTP/L2TP (IPsec)
- Network Access Control

### High Availability

- Active-active<sup>1</sup> or active-passive
- Transparent failover without session loss
- Network notification of failover
- Encrypted HA communication

### Central Management Options

- Barracuda NG Control Center
  - Unlimited firewalls
  - Support for multitenancy
  - Multi-administrator support and RCS

### Infrastructure Services

- DHCP server, relay
- SIP, HTTP, SSH, FTP proxies
- SNMP and IPFIX support
- DNS Cache
- SMTP gateway and spam filter
- Wi-Fi (802.11n) access point on selected models
- User authentication via Captive Portal
- Windows Active Directory agent for transparent user to IP mapping
- Authentication – supports x.509, NTLM, RADIUS, RSA SecurID, LDAP/LDAPS, Active Directory, TACACS+, SMS Passcode (VPN), local authentication database

### Protocol Support

- IPv4, IPv6, ARP
- BGP/OSPF/RIP
- VoIP (H.323, SIP, SCCP [skinny])
- RPC protocols (ONC-RPC, DCE-RPC)
- 802.1q VLAN

## Support Options

### Barracuda Energize Updates

- Standard technical support
- Firmware updates
- IPS signature updates
- Application control definition updates

### Instant Replacement Service

- Replacement unit shipped next business day
- 24x7 technical support
- Hardware refresh every four years

## Security Options

- Barracuda Web Security Service (Cloud-based web security)
- Barracuda NG Web Security (F100 and higher)
  - Barracuda NG Web Filter
  - Barracuda NG Malware Protection
- Barracuda NG SSL VPN and NAC
  - Clientless access
  - Network Access Control validates client security access

MODEL COMPARISON	F10	F100 F101	F200 F201	F280	F300 F301	F400	F600	F800	F900
<b>CAPACITY</b>									
Firewall Throughput <sup>2</sup>	300 Mbps	300 Mbps	400 Mbps	1.3 Gbps	550 Mbps	3.9 Gbps	5.7 Gbps	10 Gbps	21.0 Gbps <sup>5</sup>
VPN Throughput <sup>3</sup>	85 Mbps	85 Mbps	120 Mbps	310 Mbps	160 Mbps	700 Mbps	1.6 Gbps	2.2 Gbps	3.7 Gbps
IPS Throughput <sup>2</sup>	60 Mbps	60 Mbps	80 Mbps	450 Mbps	90 Mbps	900 Mbps	2.6 Gbps	3.1 Gbps	4.6 Gbps
Concurrent Sessions	2,000	8,000	35,000	100,000	70,000	300,000	400,000	500,000	1,000,000
New Sessions Per Second	1,000	1,500	2,500	8,500	2,500	16,000	35,000	45,000	100,000
<b>HARDWARE</b>									
Form Factor	Desktop mini	Desktop	Desktop	Desktop	1U Rack Mount	1U Rack Mount	1U Rack Mount	1U Rack Mount	2U Rack Mount
Dimensions (in)	9.5 x 6.5 x 1.9	14.8 x 7.5 x 2.0	14.8 x 7.5 x 2.0	10.7 x 7.7 x 1.7	16.8 x 13.0 x 1.7	16.8 x 17.7 x 1.7	16.8 x 17.7 x 1.7	17.0 x 20.5 x 1.7	17.4 x 26.0 x 3.5
Weight (lb)	4.4	7.7	7.9	5.1	9.9	18.8	18.8	28.6	39.6
Copper Ethernet NICs (std/max)	4x1GbE	4x1GbE	4x1GbE	4x1GbE	4x1GbE+ 4x10/100	8x1GbE	12x1 GbE Cooper <sup>6</sup>	12/20x1GbE	0/24x1 GbE+ 1x1GbE Mgmt
1Gb Fiber SFP NICs							8x1 GbE Copper + 4x1 Gb Fiber SFP <sup>7</sup>	0 (std.) 4 (opt.)	0 (std.) 12 (opt.)
10Gb Fiber SFP+ NICs							8x1 GbE Copper + 2x1 Gb Fiber SFP+ <sup>8</sup>	0 (std.) 2 (opt.)	0 (std.) 6 (opt.)
Power Supply	Single, external	Single, external	Single, external	Single, external	Single, internal	Single, internal	Single, internal (std) Dual, internal (opt)	Dual, internal	Dual, internal
3G USB Modem	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
<b>FEATURES</b>									
Firewall	●	●	●	●	●	●	●	●	●
Application Control	●	●	●	●	●	●	●	●	●
IPS	●	●	●	●	●	●	●	●	●
Web Security	● <sup>4</sup>	●	●	●	●	●	●	●	●
Intelligent Traffic Flow Control	●	●	●	●	●	●	●	●	●
IPsec VPN	●	●	●	●	●	●	●	●	●
WAN Optimization			●	●	●	●	●	●	●
Spam Filter			●	●	●	●	●	●	●

<sup>1</sup> With external link balancer only    <sup>2</sup> Measured with large packets (MTU1500)    <sup>3</sup> VPN throughput using AES128 NOHASH    <sup>4</sup> With Barracuda Web Security Service subscription    <sup>5</sup> Measured with jumbo frames (MTU9000)  
<sup>6</sup> F600 Standard model including single power supply    <sup>7</sup> F600 1GbE SFP model including single power supply    <sup>8</sup> F600 10GbE SFP+ model including dual power supply    Specifications subject to change without notice.