

CHECK POINT 3200 NEXT GENERATION SECURITY GATEWAY FOR THE BRANCH AND SMALL OFFICE



CHECK POINT 3200 NEXT GENERATION SECURITY GATEWAY

Branch and small office security in a compact form factor

Product Benefits

- Enable the most advanced threat prevention security
- Unique “first time prevention” for the most sophisticated zero day attack
- Optimized for inspecting SSL encrypted traffic
- Future-proofed technology safeguards against tomorrow’s risks
- Simplify administration with a single integrated management console

Product Features

- Compact desktop form factor
- Simple deployment and management
- Secure branch office connections with site-to-site and client-to-site VPN
- Redundant appliance clustering technologies eliminate a single point of failure

OVERVIEW

The Check Point 3200 Next Generation Security Gateway combines the most comprehensive security protections to safeguard your branch and small office deployments. The 3200 Next Generation Security Gateway is available in a compact desktop form factor with a 320GB (HDD) or 240GB (SSD) disk. This powerful Next Generation Security Gateway is optimized to deliver real-world threat prevention to secure your critical assets and environments.

COMPREHENSIVE THREAT PREVENTION

The rapid growth of malware, growing attacker sophistication and the rise of new unknown zero-day threats require a different approach to keep enterprise networks and data secure. Check Point delivers fully integrated, comprehensive Threat Prevention with award-winning SandBlast™ Threat Emulation and Threat Extraction for complete protection against the most sophisticated threats and zero-day vulnerabilities.

Unlike traditional solutions that are subject to evasion techniques, introduce unacceptable delays, or let potential threats through while evaluating files, Check Point SandBlast stops more malware from entering your network. With our solution your employees can work safely no matter where they are and doesn’t compromise their productivity.

PERFORMANCE HIGHLIGHTS

Firewall	IPS	NGFW ¹	Threat Prevention ²
4 Gbps	1.44 Gbps	1.15 Gbps	740 Mbps

Performance measured under ideal testing conditions. Additional performance details on page 3.

1. Includes Firewall, Application Control, and IPS Software Blades.

2. Includes Firewall, Application Control, URL Filtering, IPS, Antivirus, Anti-Bot and SandBlast Zero-Day Protection Software Blades using R80.10.

3200 SECURITY GATEWAY

- 1 Management 10/100/1000Base-T RJ45 port
- 2 5x 10/100/1000Base-T RJ45 ports
- 3 2x USB ports for ISO installation
- 4 RJ45/micro USB console port
- 5 Power connector



ALL-INCLUSIVE SECURITY SOLUTIONS

Check Point 3200 Next Generation Security Gateways offer a complete and consolidated security solution available in two complete packages:

- NGTP: prevent sophisticated cyber-threats with Application Control, URL Filtering, IPS, Antivirus, Anti-Bot and Email Security.
- NGTX: NGTP with SandBlast Zero-Day Protection, which includes Threat Emulation and Threat Extraction.

INSPECT ENCRYPTED CONNECTIONS

There is a shift towards more use of HTTPS, SSL and TLS encryption to increase Internet security. At the same time files delivered into the organization over SSL and TLS represent a stealthy attack vector that bypasses traditional security implementations. Check Point Threat Prevention looks inside encrypted SSL and TLS tunnels to detect threats, ensuring users remain in compliance with company policies while surfing the Internet and using corporate data.

BEST-IN-CLASS MANAGEMENT

Check Point sets the standard for reliability and ease-of-use in security management. Consolidate all aspects of your security environment and ensure security consistency across your entire organization with unified policy management for users, data, applications and networks. In addition our integrated threat management provides full visibility into security across your infrastructure helping you monitor security continuously and stay alert to potential threats.

Every Check Point appliance can either be managed locally with the available integrated security management¹ or via central unified management. Using local management, the appliance can manage itself and one adjacent appliance for high availability deployments.

¹ not available when purchased with the SSD option

PREVENT KNOWN AND ZERO-DAY THREATS

The 3200 Next Generation Security Gateway protects organizations from both known and unknown threats with Antivirus, Anti-Bot, SandBlast Threat Emulation (sandboxing), and SandBlast Threat Extraction technologies.

As part of the Check Point SandBlast Zero-Day Protection solution, the cloud-based Threat Emulation engine detects malware at the exploit phase, even before hackers can apply evasion techniques attempting to bypass the sandbox. Files are quickly quarantined and inspected, running in a virtual sandbox to discover malicious behavior before it enters your network. This innovative solution combines cloud-based CPU-level inspection and OS-level sandboxing to prevent infection from the most dangerous exploits, and zero-day and targeted attacks.

Furthermore, SandBlast Threat Extraction removes exploitable content, including active content and embedded objects, reconstructs files to eliminate potential threats, and promptly delivers sanitized content to users to maintain business flow.

	NGTP	NGTX (SandBlast)
	Prevent known threats	Prevent known and zero-day attacks
Firewall	✓	✓
VPN (IPsec)	✓	✓
IPS	✓	✓
Application Control	✓	✓
URL Filtering	✓	✓
Anti-Bot	✓	✓
Anti-Virus	✓	✓
Anti-Spam	✓	✓
SandBlast Threat Emulation	✗	✓
SandBlast Threat Extraction	✗	✓

Performance

Ideal Testing Conditions

- 4 Gbps of UDP 1518 byte packet firewall throughput
- 1.44 Gbps IPS
- 1.15 Gbps of NGFW¹
- 740 Mbps of Threat Prevention²
- 2.25 Gbps of AES-128 VPN throughput
- 48,000 connections per second, 64 byte response
- 3.2 million concurrent connections, 64 byte response

Real-World Production Conditions

- 250 SecurityPower Units
- 2.1 Gbps of firewall throughput
- 460 Mbps IPS
- 260 Mbps of NGFW¹
- 160 Mbps of Threat Prevention²

Virtual Systems

- Maximum VS: 10

Your performance may vary depending on different factors. Visit www.checkpoint.com/partnerlocator to find an appliance that matches your unique requirements.

1. Includes Firewall, Application Control and IPS Software Blades. 2. Includes Firewall, Application Control, URL Filtering, IPS, Antivirus, Anti-Bot and SandBlast Zero-Day Protection Software Blades using R80.10.

Network

Network Connectivity

- Total physical and virtual (VLAN) interfaces per appliance: 1024/4096 (single gateway/with virtual systems)
- 802.3ad passive and active link aggregation
- Layer 2 (transparent) and Layer 3 (routing) mode

High Availability

- Active/Active and Active/Passive - L3 mode
- Session failover for routing change, device and link failure
- ClusterXL or VRRP

Networking (continued)

IPv6

- NAT66, NAT64
- CoreXL, SecureXL, HA with VRRPv3

Unicast and Multicast Routing (see SK98226)

- OSPFv2 and v3, BGP, RIP
- Static routes, Multicast routes
- Policy-based routing
- PIM-SM, PIM-SSM, PIM-DM, IGMP v2, and v3

Hardware

Base Configuration

- 6 on-board 10/100/1000Base-T RJ-45 ports
- 1x CPUs, 4x physical cores, 4x virtual cores (total)
- 8 GB memory
- 1 power supply
- 1x 320GB (HDD) or 1x 240GB (SSD) drive

Power Requirements

- Single Power Supply rating: 40W
- AC power input: 110-240V, (47-63Hz)
- Power consumption maximum: 29.5W
- Maximum thermal output: 100.7 BTU/hr.

Dimensions

- Enclosure: Desktop
- Dimensions(W x D x H): 8.3x8.3x1.65 in. (210x210x41.9mm)
- Weight: 2.9 lbs. (1.3 kg)

Environmental Conditions

- Operating: 0° to 40°C, humidity 5% to 95%
- Storage: -20° to 70°C, humidity 5% to 95% at 60°C

Certifications

- Safety: UL, CB, CE, TUV GS
- Emissions: FCC, CE, VCCI, RCM/C-Tick
- Environmental: RoHS, WEEE, REACH¹, ISO14001¹ factory certificate

ORDERING INFORMATION

BASE CONFIGURATION ¹

3200 Next Generation Security Gateway Base Configuration, includes 6x1GbE copper ports, 8GB RAM, 1 HDD, 1 AC Power Unit, Next Generation Threat Prevention (NGTP) Security Subscription Package for 1 Year.	CPAP-SG3200-NGTP
3200 SandBlast Next Generation Security Gateway Base Configuration, includes 6x1GbE copper ports, 8GB RAM, 1 HDD, 1 AC Power Unit, SandBlast (NGTX) Security Subscription Package for 1 Year	CPAP-SG3200-NGTX
SPARES AND MISCELLANEOUS	
Replacement Power Supply for 3200 Security Gateways	CPAC-PSU-3200
Single/Dual chassis Rack Shelf for 3000 Security Gateways	CPAC-RM-DUAL-3000

¹ SKUs for 2 and 3 years, for High Availability and Appliances with an SSD option are also available, see the online Product Catalog

CONTACT US

EMAIL: INFO@CHECKPOINT.COM

WEB: WWW.CHECKPOINT.COM